



CIRCUIT DIAGRAM
KITTY HAWK TRIUMPH I



© ROY 1985

- 1) TECHNISCHE ÄNDERUNGEN VORBEHALTEN.
- 2) VOLTAGES MEASURED MAY BE ±20% TOL.
- 3) ALL RESISTORS .5 WATT AND ALL CAPACITORS IN µF AND AT LEAST 400V EXCEPT AS NOTED.

CAUTION: 850 VOLTS AVAILABLE. DISCONNECT POWER SUPPLY AND ALLOW AT LEAST 60 SECONDS FOR VOLTAGES TO "BLEED" OFF BEFORE SERVICING AMPLIFIER



SCHALTPLAN VORSTUFE KITTY HAWK TRIUMPH I

© ROY 1985

- 1) TECHNISCHE ÄNDERUNGEN VORBEHALTEN
- 2) VOLTAGES MEASURED MAY BE ±20% TO
- 3) ALL RESISTORS .5 WATT AND ALL CAPACITORS IN µF AND AT LEAST 400 EXCEPT AS NOTED.

CAUTION: 450 VOLTS AVAILABLE. DISCONNECT POWER SUPPLY AND ALLOW AT LEAST 30 SECONDS FOR VOLTAGES TO "BLEED" OFF BEFORE SERVICING AMPLIFIER.